

Real Time Executive Interface Definition

DRAFT 2.1

Prepared by:

MOTOROLA Microcomputer Division

and

Software Components Group

Abstract:

This specification defines a basic set of functions that constitute the Real Time Executive Interface Definition. Draft 2.1 is for public review, MOTOROLA/SCG retain the right to modify this definition as appropriate during implementation. Draft 2.1 will be submitted to the VITA technical committee no later than 01/25/88.

PRELIMINARY

REAL TIME EXECUTIVE INTERFACE DEFINITION

January 22, 1988

DISCLAIMER

This RTEID specification is being proposed to be used as the basis for formal standardization by the VME International Trade Association (VITA). However, since the standardization process has just begun, any standard resulting from this document might be different from this document. Any Product designed to this document might not be compatible with the final standard. No responsibility is assumed for such incompatibilities and no liability is assumed for any product built to conform to this document.

While considerable effort has been expended to make this document comprehensive, reliable, and unambiguous, it is still being published in preliminary form for public study and comment.

This document is prepared by Motorola Inc., Microcomputer Division. The design and development of RTEID is a joint effort of Motorola Inc., Microcomputer Division and Software Components Group, Inc. Interest in the RTEID is welcomed and encouraged any technical questions, suggestions or comments may be directed to:

Motorola Inc.
Microcomputer Division
Dept: RTEID
2900 South Diablo Way
Tempe, Arizona 85282
Tel: (602)438-3500
Fax: (602)438-3581
Tlx: 4998071 (MOTPHE)

Software Components Group, Inc.
4655 Old Ironsides Drive
Santa Clara, California 95054
Tel: (408)727-0707 408-437-0700
Fax: (408)727-0904
Tlx: 757697 (softcom)

John Gilbert - tech staff
Linda Mung - Sales

REVISION RECORD		
Issue	Revision Description	Date
1	Initial version. Internal Only.	05/06/87
2	Added semaphores and debug management.	06/01/87
3	Preliminary Draft, limited distribution.	06/17/87
4	Design review of SCG's comments.	07/24/87
5	SCG/MOT Technical review.	08/20/87
6	SCG/MOT Technical review.	08/28/87
7	SCG/MOT Technical review.	09/14/87
8	SCG/MOT Technical review for Draft 2.1	12/14/87
9	Added Debug Extensions for Draft 2.1	12/22/87
10	Added I/O Interface for Draft 2.1	01/15/88
11	Removed Debug Extensions from Draft 2.1	01/22/88
12	Final Draft 2.1 submitted to VITA	01/25/88
13		

TABLE OF CONTENTS

902
 90
 801

	Page
1. INTRODUCTION	1
1.1 Overview	1
1.2 Definitions	1
1.3 Typedefs and Structures	1
2. Basic System Services	2
3. EXECUTIVE FACILITIES	3
3.1 Task Management	7
3.1.1 T_CREATE	8
3.1.2 T_IDENT	10
3.1.3 T_START	11
3.1.4 T_RESTART	13
3.1.5 T_DELETE	15
3.1.6 T_SUSPEND	16
3.1.7 T_RESUME	17
3.1.8 T_SETPRI	18
3.1.9 T_MODE	19
3.1.10 T_GETREG	21
3.1.11 T_SETREG	23
3.2 Message, Event, and Signal Management	25
3.2.1 Message Manager	25
3.2.2 Event Manager	26
3.2.3 Signal Manager	27
3.2.4 Data Structures for Message Management	28
3.2.5 Q_CREATE	29
3.2.6 Q_IDENT	31
3.2.7 Q_DELETE	32
3.2.8 Q_SEND	33
3.2.9 Q_URGENT	34
3.2.10 Q_BROADCAST	36
3.2.11 Q_RECEIVE	37
3.2.12 EV_SEND	39
3.2.13 EV_RECEIVE	40
3.2.14 AS_CATCH	42
3.2.15 AS_SEND	44
3.2.16 AS_RETURN	45
3.3 Semaphore Management	46
3.3.1 SM_CREATE	47
3.3.2 SM_IDENT	49
3.3.3 SM_DELETE	50
3.3.4 SM_P	51
3.3.5 SM_V	53
3.4 Time Management	54
3.4.1 Timebuf Structure	55
3.4.2 TM_SET	56
3.4.3 TM_GET	57

4.9.5	WRITE	106
4.9.6	CNTRL	107
4.10	Driver Interface in C Language	108